

Vinvautz
the *GRAND CRU CLASSE* collection
法國 · 名望

*The Ultimate Choice
Vinvautz Wine Cellar*

www.vinvautz-france.com

Proudly Serviced by:

ToolBox

a Gilman Group Company www.ToolBox.hk

VINWC201905

 **Gilman**
since 1841 www.gilman-group.com

 **Gilman**
since 1841

Living Style

Vinvautz wine cellars embodies the passion that wine makers have shared throughout the centuries. Good wines only become great when aged to its truest potential. With this notion, Vinvautz began its mission in creating the Ultimate Wine Cellar.

Vinvautz wine cellars provides accurate and reliable triple condition management: temperature, humidity and lighting control. The storage environment is precisely monitored and regulated.

Silence is golden and Vinvautz's wine cooling is good as gold. The latest VIN™ Compressor and TE™ technology keeps the cellar free from vibrations. The wines are aged in stillness and tranquility, preserved in their sweetest slumber.

Vinvautz's latest collection of Wine Cellars is elegantly smooth yet bold, the true epitome of functionality and aesthetics. The Incurvé Grand Cru Classe collection truly is a work of art.

優越動人，典雅動心。Vinvautz 酒櫃以現代功能美學，為你的酒釀提供最理想的貯藏空間，無論溫度、濕度及光線均控制得宜，力臻完美。Vinvautz 酒櫃採用最先進的Vin™ 及TE™ 科技，配合電子溫度調控、活動層架等，以最完善週全的設計概念，全面保存您的佳釀。使酒釀的醉人幽香，一直縈繞其中，恆久不變。






Why Do We Need a Wine Cellar ?

- A constant temperature is needed to reach the peak of the wine's development.
- Excessive humidity may cause mould to form.
- Insufficient humidity causes corks to dry out and shrink, which allows air to enter the bottle and alter chemical contents of the wine.
- Ultraviolet rays will promote the chemical degeneration of fine wine.
- Constant vibration re-integrates sediments into the wine, upsetting the aging process. In addition, vibrations can cause the cork to shift, altering the wines internal environment due to altered oxygen exposure.

Ideal Storage temperature





Label View

Features of Label View Series



Single Zone 單溫區間

Single temperature zone with range 5-22°C



Digital Display and Touchpad Input

輕觸式電子顯示控制

Electronic temperature touch control with digital display that offers precise temperature regulation.



Label-View Shelves 展示酒標層架

12 Pull-out Label-View Shelves



Sleek Anti-uv Black Triple-layer Glass Door

防紫外線灰黑三層玻璃門

Triple-layer UV resistant tempered glass to protect wines from harmful rays.



White Led Lighting with 2 Level Adjustable

內置兩段光暗白色LED燈

White LED lights creating an elegant glow to illuminate your collection.



VIN™ System VIN™ 防震壓縮機系統

Vibration "Iradicating" Node. VIN™ system to mitigate vibration caused by the compressor. Environmentally-friendly refrigerant R600a.




Security 保安門鎖


Security lock system with key to keep your prized wine collection safe from intruders.



Wine Bottle Loading Diagram:



Installation Diagram:



VZ143SLV | Capacity 143

- Temperature zone: 5-22°C
- 12 Pull-out Label-View Shelves
- Digital display and touchpad input
- Sleek anti-UV black triple-layer glass door
- White LED lighting with 2 levels adjustable

- Anti-vibration compressor
- Built-under or free-standing installation
- Security lock system with key
- Dimension (HxWxD)mm: 1,835x655x680

HK\$ 27,988



Pull-Out Label-View Shelves
展示酒標層架



Single-Zone
單溫區間



Sophisticated Design
優越典雅設計



Digital Display and Touchpad Input
輕觸式電子顯示控制



Triple-Layer UV Resistant
三重紫外線阻隔設計



VIN™ System
VIN™ 防震壓縮機系統



Perfect Insulation
完全隔熱設計



LED Light
內置白色LED照明



Security
保安門鎖



Front Venting
通風系統



Charcoal Filter
活性炭過濾裝置

Pro Black Series



Features of Pro Black Series



LED LIGHT 內置白色LED照明

White LED lights creating an elegant glow to illuminate your collection. Lights up when door opens by default.



OPTIONAL HANDLE 自選把手安裝

Stainless steel handle with piano black paint finish on the side of door frame.



ANTI-CONDENSATION 防凝霧技術

Unique Anti-Condensation function with on/off switch to avoid layer of water condensation on glass door panel in humid ambience.



WINE DISPLAY 酒釀陳列配件*

Optional wine display kit to showcase your favourite wine. (For VZ168BDHK only)



VIN™ SYSTEM VIN™ 防震壓縮機系統

Vibration "Iradicating" Node, VIN™ system to mitigate vibration caused by the compressor. Environmentally-friendly refrigerant R600a.



PERFECT INSULATION 完全隔熱設計

High density insulation wall to provide perfect insulation to ensure constant temperature inside the cabinet.



SECURITY 保安門鎖

Door lock feature to keep your prized wine collection safe from intruders. If the door has been opened for over 1 minutes, the alarm will sound.

*Photo with optional wine display kit



DUAL TEMPERATURE ZONES 雙溫儲酒區

Top and bottom temperature zones are capable of reaching the 5-20°C temperature range.



DIGITAL CONTROL 電子溫度控制

Electronic temperature touch control with digital display that offers precise temperature regulation.



SOPHISTICATED DESIGN 優越典雅設計

Sleek black glass door to match the most interior designs.



TRIPLE-LAYER UV RESISTANT 三重紫外線阻隔設計

Triple-layer UV resistant tempered glass to protect wines from harmful rays.



ANTI-VIBRATION 防震櫟木酒架

Fine Beechwood shelves that can keep vibrations to a minimum.



CHARCOAL FILTER 活性炭過濾裝置

Active charcoal filter for odorless fresh air within the wine cellar.



FRONT VENTING 通風系統

Front venting with advanced airflow system, suitable for freestanding and built-under installation.






VZ28BDBU | Capacity 28


- Temperature Zone: 5-20°C Upper and lower
- Cooling System: VIN™ Compressor
- Sleek black glass door
- White LED interior light

HK\$ 6,888

Installation Diagram:



Wine Bottle Loading Diagram:



- With door lock & door alarm
- No. of wooden shelves: 2 (Upper) & 3 (Lower)
- Power input: 85W
- Dimension (HxWxD)mm:
820x395x575 (without handle 不包括手柄)
820x395x620 (with handle 包括手柄)
- Left-hinged model: VZ28BDBU-L



VZ45BDBU | Capacity 45

- Temperature Zone: 5-20°C Upper and lower
- Cooling System: VIN™ Compressor
- Sleek black glass door
- White LED interior light

HK\$ 8,988


Remark:

*Suitable for built-under installation 適合廚櫃底安裝


**Height adjustable from 820-890mm 可調高度由820-890毫米

If the wine cellar is fully integrated with decorative kitchen plinth, the ventilation grille of the wine cellar must be removed and the ventilation gap on the plinth must be at least 300cm² (eg. 30cm H x 10cm W) for sufficient air flow.
如酒櫃作廚櫃底安裝並會被廚櫃門板覆蓋，必須先把酒櫃底座通風擋板移除，並在廚櫃門板預留最少300平方厘米（如30厘米高x10厘米闊）的通風位置幫助散熱。

Installation Diagram:



Wine Bottle Loading Diagram:




- With door lock & door alarm
- No. of wooden shelves: 2 (Upper) & 3 (Lower)
- Power input: 100W
- Dimension (HxWxD)mm:
820x595x575 (without handle 不包括手柄)
820x595x620 (with handle 包括手柄)
- Left-hinged model: VZ45BDBU-L

Anti-Condensation 防凝霧技術	Dual Temperature Zone 雙溫儲溫區	Sophisticated Design 優越典雅設計	Digital Control 電子溫度控制	Triple-Layer UV Resistant 三重紫外線阻隔設計	Anti-Vibration 防震櫥木酒架	VIN™ System VIN™ 防震壓縮機系統	Anti-Condensation 防凝霧技術	Dual Temperature Zone 雙溫儲溫區	Sophisticated Design 優越典雅設計	Digital Control 電子溫度控制	Triple-Layer UV Resistant 三重紫外線阻隔設計	Anti-Vibration 防震櫥木酒架	VIN™ System VIN™ 防震壓縮機系統
Perfect Insulation 完全隔熱設計	LED Light 內置白色LED照明	Security 保安門鎖	Optional Handle 自選把手安裝	Front Venting 通風系統	Charcoal Filter 活性炭過濾裝置	Perfect Insulation 完全隔熱設計	LED Light 內置白色LED照明	Security 保安門鎖	Optional Handle 自選把手安裝	Front Venting 通風系統	Charcoal Filter 活性炭過濾裝置		


Pro Black Series



Wine Bottle Loading Diagram:



Installation Diagram:



units = mm

VZ101BDHK | Capacity 101


- Temperature Zone: 5-20°C Upper and lower
- Cooling System: VINT™ Compressor
- Sleek black glass door
- White LED interior light

- With door lock & door alarm
- No. of wooden shelves: 4 (Upper) & 7 (Lower)
- Power input: 160W
- Dimension (HxWxD)mm:
1476x595x575 (without handle 不包括手柄)
1476x595x620 (with handle 包括手柄)
- Left-hinged model: VZ101BDHK-L


HK\$ 13,488



Wine Bottle Loading Diagram:



Installation Diagram:



units = mm

VZ125BDHK | Capacity 125

- Temperature Zone: 5-20°C Upper and lower
- Cooling System: VINT™ Compressor
- Sleek black glass door
- White LED interior light

- With door lock & door alarm
- No. of wooden shelves: 4 (Upper) & 10 (Lower)
- Power input: 160W
- Dimension (HxWxD)mm:
1768x595x575 (without handle 不包括手柄)
1768x595x620 (with handle 包括手柄)
- Left-hinged model: VZ125BDHK-L

HK\$ 14,988



Anti-Condensation
防凝霧技術



Dual Temperature Zone
雙溫儲溫區



Sophisticated Design
優越典雅設計



Digital Control
電子溫度控制



Triple-Layer UV Resistant
三重紫外線阻隔設計



Anti-Vibration
防震櫥木酒架



VINT™ System
VINT™ 防震壓縮機系統



Anti-Condensation
防凝霧技術



Dual Temperature Zone
雙溫儲溫區



Sophisticated Design
優越典雅設計



Digital Control
電子溫度控制



Triple-Layer UV Resistant
三重紫外線阻隔設計



Anti-Vibration
防震櫥木酒架



VINT™ System
VINT™ 防震壓縮機系統



Perfect Insulation
完全隔熱設計



LED Light
內置白色LED照明



Security
保安門鎖



Optional Handle
自選把手安裝



Front Venting
通風系統



Charcoal Filter
活性炭過濾裝置



Perfect Insulation
完全隔熱設計



LED Light
內置白色LED照明



Security
保安門鎖



Optional Handle
自選把手安裝




Front Venting
通風系統



Charcoal Filter
活性炭過濾裝置



Wine Bottle Loading Diagram:



Installation Diagram:



units = mm

VZ168BDHK | Capacity 168

- Temperature Zone: 5-20°C Upper and lower
- Cooling System: VINTM Compressor
- Sleek black glass door
- White LED interior light

- With door lock & door alarm
- No. of wooden shelves: 4 (Upper) & 10 (Lower)
- Power input: 160W
- Dimension (HxWxD)mm:
1768x595x680 (without handle 不包括手柄)
1768x595x725 (with handle 包括手柄)
- Left-hinged model: VZ168BDHK-L

HK\$ 17,488

Remark: Photo with optional wine display kit



Showcase
your favourite wine

VZ-675KIT HK\$ 950

Suitable for VZ168BDHK



Anti-Condensation 防凝霧技術	Dual Temperature Zone 雙溫儲溫區	Sophisticated Design 優越典雅設計	Digital Control 電子溫度控制	Triple-Layer UV Resistant 三重紫外線阻隔設計	Anti-Vibration 防震櫥木酒架	VINTM System VINTM 防震壓縮機系統
Perfect Insulation 完全隔熱設計	LED Light 內置白色LED照明	Security 保安門鎖	Optional Handle 自選把手安裝	Front Venting 通風系統	Charcoal Filter 活性炭過濾裝置	



Incurvé Series

Features of Incurvé Series



PERFECT INSULATION 完全隔熱設計

High density insulation wall to provide perfect insulation to ensure constant temperature inside the cabinet.



SINGLE OR DUAL ZONE

單溫或雙溫儲酒區
Incurvé collection offers the choice of single or dual temperature storage.




VIN™ SYSTEM VIN™ 防震壓縮機系統

Vibration "Iradicating" Node, VIN™ system to mitigate vibrations caused by the compressor.



SECURITY 保安門鎖

Door lock feature to keep your prized wine collection safe from intruders.



INDEPENDENT TEMPERATURE SETTING

雙溫區獨立調校

Top and bottom temperature zones are capable of reaching the 5 -18°C temperature range.*



DIGITAL CONTROL 電子溫度控制

Electronic temperature control with digital display that offers precise temperature regulation.



REVERSIBLE DOOR 可調開門方向

Convertible door configuration that can be hinged either on the left or the right to adapt to the surroundings.



TRIPLE-LAYER UV RESISTANT

三重紫外線阻隔設計

UV resistant tempered glass to protect wines from harmful rays.



ANTI-VIBRATION 防震櫟木酒架

Fine Beechwood shelves that can keep vibrations to a minimum.



INCURVÉ DOOR 弧形設計

Stylish incurve door design.




BLUE LED 內置藍色LED燈

Blue LED Lights cascading over wine bottles, creating an elegant glow to illuminate your collection.



* Only available in dual zone models


Incurvé Series - Single Zone 單溫區酒櫃



VZ46BHK | Capacity 46

- Temperature Zone: 5-18°C
- Cooling System: VIN™ Compressor
- Incurvé glass door
- Blue LED interior light
- With door lock
- Reversible door
- Power input: 140W
- Dimension (HxWxD)mm: 830x595x630

HK\$ 7,488



VZ120BHK | Capacity 120

- Temperature Zone: 5-18 °C
- Cooling System: VIN™ Compressor
- Incurvé glass door
- Blue LED interior light
- With door lock
- Reversible door
- Power input: 180W
- Dimension (HxWxD)mm: 1393x595x725

HK\$ 11,488



Single Zone
單溫區間



Incurvé Door
弧形設計



Security
保安門鎖



Blue LED Light
內置藍色LED照明



Triple-Layer UV Resistant
三重紫外線阻隔設計



Anti-vibration
防震櫟木酒架



Single Zone
單溫區間



Incurvé Door
弧形設計



Security
保安門鎖



Blue LED Light
內置藍色LED照明



Triple-Layer UV Resistant
三重紫外線阻隔設計



Anti-vibration
防震櫟木酒架



Reversible Door
雙向開門設計



Perfect Insulation
完全隔熱設計



VIN™ System
VIN™ 防震壓縮機系統



Digital Control
電子溫度控制



Reversible Door
雙向開門設計



Perfect Insulation
完全隔熱設計



VIN™ System
VIN™ 防震壓縮機系統



Digital Control
電子溫度控制

Incurvé Series - Single Zone 單溫區酒櫃


Incurvé Series - Dual Zone 雙溫區酒櫃



VZ166BHK | Capacity 166

- Temperature Zone: 5-18 °C
- Cooling System: VIN™ Compressor
- Incurvé glass door
- Blue LED interior light
- With door lock
- Reversible door
- Power input: 190W
- Dimension (HxWxD)mm: 1760x595x725

HK\$ 13,488



VZ110BDHK | Capacity 110

- Temperature Zone: 5-18 °C Upper and lower
- Cooling System: VIN™ Compressor
- Incurvé glass door
- Blue LED interior light
- With door lock
- Reversible door
- Power input: 160W
- Dimension (HxWxD)mm: 1393x595x725

HK\$ 12,988



Single Zone
單溫區



Incurvé Door
弧形設計



Security
保安門鎖



Blue LED Light
內置藍色LED照明



Triple-Layer UV Resistant
三重紫外線阻隔設計



Anti-vibration
防震櫟木酒架



Dual zone
雙溫儲酒區



Incurvé Door
弧形設計



Security
保安門鎖



Blue LED Light
內置藍色LED照明



Triple-Layer UV Resistant
三重紫外線阻隔設計



Anti-vibration
防震櫟木酒架



Reversible Door
雙向開門設計



Perfect Insulation
完全隔熱設計



VIN™ System
VIN™ 防震壓縮機系統



Digital Control
電子溫度控制



Reversible Door
雙向開門設計



Perfect Insulation
完全隔熱設計




VIN™ System
VIN™ 防震壓縮機系統



Digital Control
電子溫度控制

Incurvé Series - Dual Zone 雙溫區酒櫃



VZ150BDHK | Capacity 150

- Temperature Zone: 5-18 °C Upper and lower
- Cooling System: VIN™ Compressor
- Incurvé glass door
- Blue LED interior light
- With door lock
- Reversible door
- Power input: 160W
- Dimension (HxWxD)mm: 1768x595x725

HK\$ 14,988



Dual zone
雙溫儲酒區



Incurvé Door
弧形設計



Security
保安門鎖



Blue LED Light
內置藍色LED照明



Triple-Layer UV Resistant
三重紫外線阻隔設計



Anti-vibration
防震櫟木酒架



Reversible Door
雙向開門設計



Perfect Insulation
完全隔熱設計



VIN™ System
VIN™ 防震壓縮機系統



Digital Control
電子溫度控制



Grand Cru Classe

Features of Grand Cru Classe



ANTI-VIBRATION 防震櫟木酒架

Fine Beechwood shelves that can keep vibrations to a minimum.



TET™ TECHNOLOGY TET™系統

Double-module temperature control
VZ12BHK and VZ18BHK.
Two individual cooling systems for
VZ18BDHK and VZ24BDHK.



RED LED DISPLAY 紅色LED顯示



DIGITAL CONTROL 電子溫度控制

Electronic temperature control with digital display that offers precise temperature regulation.



SLEEK TINTED GLASS DOOR

型格灰玻璃門設計

Exquisite tinted glass door and sleek black door frame to match the most sophisticated interior designs.



PERFECT INSULATION 完全隔熱設計

High density Insulation Wall to provide perfect insulation to ensure constant temperature inside the cabinet.



LED LIGHT 內置LED照明



ANTI-FINGERPRINT METAL FRAME

防指紋金屬框

Sturdy anti-fingerprint metal frame.



UV RESISTANT 紫外線阻隔設計

Tinted UV resistant tempered glass to shield wines from harmful rays.



COMPACT 體積輕巧的櫃身設計



REMARK:

- For compact wine cellar range, allow 50mm buffer space on the left, right & top sides and 100mm buffer space from the back wall for better ventilation.
- Grand Cru Classe酒櫃旁邊和牆壁之間需預留50毫米空間，機背和機頂留100毫米空間保持充足通風。

* Only available in dual zone models



VZ12BHK | Capacity 12

- Temperature Zone: 8-18°C
- Cooling System: Double-module TE™ Technology
- Dimension (HxWxD)mm: 615x252x515
- Power Input: 75W

HK\$ 2,398



VZ18BHK | Capacity 18

- Temperature Zone: 8-18°C
- Cooling System: Double-module TE™ Technology
- Dimension (HxWxD)mm: 648x355x515
- Power Input: 75W


HK\$ 2,798



VZ18BDHK | Capacity 18

- Temperature Zone: 12-18°C(Upper) / 8-18°C(Lower)
- Cooling System: Dual zone TE™ Technology
- Dimension (HxWxD)mm: 648x355x510
- Power Input: 100W

HK\$ 3,098



VZ24BDHK | Capacity 24

- Temperature Zone: 12-18°C(Upper) / 8-18°C(Lower)
- Cooling System: Dual zone TE™ Technology
- Dimension (HxWxD)mm: 850x355x511
- Power Input: 100W

HK\$ 3,498



Compact
體積輕巧的櫃身設計



Sleek Tinted Glass Door
鏡面門設計



Red LED Display
紅色LED顯示



Anti-Vibration
防震櫥木酒架



Perfect Insulation
完全隔熱設計



Compact
體積輕巧的櫃身設計



Sleek Tinted Glass Door
鏡面門設計



Red LED Display
紅色LED顯示



Anti-Vibration
防震櫥木酒架



Perfect Insulation
完全隔熱設計



UV Resistant
紫外線阻隔設計



TE™ Technology
TE™系統



Digital Control
電子溫度控制



Anti-fingerprint Metal Frame
防指紋金屬框



LED Light
內置LED照明



UV Resistant
紫外線阻隔設計



TE™ Technology
TE™系統



Digital Control
電子溫度控制



Anti-fingerprint Metal Frame
防指紋金屬框




LED Light
內置LED照明

Grand Cru Classe - Built-under




Installation Diagram:



units = mm

Wine Bottle Loading Diagram



VZ07BI | Capacity 7

- Temperature Zone: 5-20°C
- Cooling System: VIN™ Compressor
- Stainless steel door and tinted glass
- White LED interior light
- With door alarm
- No. of column racks: 6
- Power input: 60W
- Dimension (HxWxD) mm:
820x148x525 (without handle 不包括手柄)
820x148x570 (with handle 包括手柄)

HK\$ 3,688

Remark: *Suitable for built-under installation 適合廚櫃底安裝
**Height adjustable from 820-890mm 可調高度由820-890毫米



UV Resistant
紫外線阻隔設計



Brushed Stainless Steel Door Frame
不鏽鋼玻璃門



White LED Light
白色LED顯示




Digital Control
電子溫度控制



VIN™ System
VIN™ 防震壓縮機系統




Installation Diagram:



units = mm

Wine Bottle Loading Diagram



VZ18BUP | Capacity 19

- Temperature Zone: 5-18°C
- Cooling System: VIN™ Compressor
- Stainless steel door and tinted glass
- White LED interior light
- No. of metal shelves: 4
- Power input: 85W
- Dimension (HxWxD) mm:
820x295x570 (without handle 不包括手柄)
820x295x617 (with handle 包括手柄)

HK\$ 4,988

Remark: *Suitable for built-under installation 適合廚櫃底安裝



UV Resistant
紫外線阻隔設計



Brushed Stainless Steel Door Frame
不鏽鋼玻璃門



Blue LED Light
內置藍色照明



Digital Control
電子溫度控制




VIN™ System
VIN™ 防震壓縮機系統

Grand Cru Classe - Built-in



Installation Diagram:



units = mm

VZ22BI | Capacity 22

- Temperature Zone: 5-18°C
- Cooling System: VIN™ Compressor
- Stainless steel door and tinted glass
- Blue LED interior light

- Power Input: 70W
- Dimension (HxWxD)mm:
455x590x520 (without handle 不包括手柄)
455x590x558 (with handle 包括手柄)

HK\$ 10,988



UV Resistant
紫外線阻隔設計



Brushed Stainless Steel Door Frame
不鏽鋼玻璃門



Blue LED Light
內置藍色照明



Digital Control
電子溫度控制



VIN™ System
VIN™ 防震壓縮機系統



Remark:

- All capacities are based on Bordeaux type bottles 0.75 liter and subject to the number of shelves and display pattern.
- The above mentioned specifications may be changed without prior notice due to product improvements.
- 容量以波爾多種類0.75公升的酒瓶為準，並因應層架數目及擺放方法而異。
- 上述規格可能因產品改良而作出修改，恕不另行通知。